

Appl. No. : Unknown
Filed : Herewith

AMENDMENTS TO THE CLAIMS

1. (CURRENTLY AMENDED) A data processing system for distributing and authenticating documents from a plurality of parties to a recipient data processing apparatus, the system comprising

a plurality of document distribution devices each ~~being operable~~ configured to generate an original hash value from the content of an electronic file containing a document to be distributed; and

a data communications network ~~operable~~ configured to ~~provide a facility to~~ communicate each of the original hash values to the recipient data processing apparatus before a predetermined event, the recipient data processing apparatus ~~being operable~~ configured to:

~~to~~ receive the original hash values from each of the plurality of document distribution devices via the data communication network,

~~to~~ generate an original super hash value from the plurality of the original hash values received, and

~~to~~ communicate the original super hash to the plurality of document distribution devices,

wherein after the predetermined event, the plurality of document distribution devices are ~~operable~~ configured to:

~~to~~ communicate each of the respective electronic files to the recipient data processing apparatus,

wherein the recipient data processing apparatus ~~being operable~~ is further configured to:

~~to~~ generate a comparative hash value from the content of the electronic file containing the document received from each of the document distribution devices,

~~to~~ generate a comparative super hash value from each of the comparative hash values,

~~to~~ communicate the comparative super hash value to each of the document distribution devices, and

Appl. No. : Unknown
Filed : Herewith

~~to~~ determine whether or not the documents received by the recipient data processing apparatus have changed from a comparison of at least one of the original hash values and the comparative hash values, and the comparative super hash value and the original super hash value.

2. (CURRENTLY AMENDED) ~~A~~ The data processing system according to claim 1, wherein the recipient data processing apparatus is ~~operable~~ configured to identify a document which has changed by comparing each original hash value with the corresponding comparative hash value, and, if the comparative hash value is not the same as the original hash value, ~~determining to determine~~ that the corresponding document has changed.

3. (CURRENTLY AMENDED) The ~~A~~ data processing system according to claim 1 ~~or claim 2~~, wherein the original hash value generated by a document distribution device is encrypted using a private key associated with the document distribution device.

4. (CURRENTLY AMENDED) The ~~A~~ data processing system according to claim 2 ~~or claim 3~~, wherein the super hash value to be communicated to the document distribution devices is encrypted using a private key associated with the recipient data processing apparatus.

5. (CURRENTLY AMENDED) The ~~A~~ data processing system according to ~~any preceding claim~~ claim 1, wherein the electronic file containing the document to be distributed is encrypted using a public key associated with the recipient data processing apparatus prior to being communicated to the recipient data processing apparatus.

6. (CURRENTLY AMENDED) The ~~A~~ data processing system according to ~~any preceding claim~~ claim 1, wherein the predetermined event includes expiration of a time limit on a particular date.

7. (CURRENTLY AMENDED) The ~~A~~ data processing system as claimed in claim 1 ~~any preceding Claim~~, wherein the electronic file is created by an application program.

8. (CURRENTLY AMENDED) The ~~A~~ data processing system as claimed in Claim 7, wherein the electronic file is communicated as part of an e-mail.

9. (CURRENTLY AMENDED) The ~~A~~ data processing system as claimed in Claim 7, wherein the electronic file is communicated on a ~~data carrier~~ portable data storage medium to the recipient data processing device via a postal service.

Appl. No. : Unknown
Filed : Herewith

10. (CURRENTLY AMENDED) ~~The A~~-data processing system as claimed in Claim 9, wherein the original hash value is represented as a bar code, the bar code being arranged in association with the portable data storage medium~~data-carrier~~, and wherein the recipient data processing apparatus includes a storage medium reader ~~an ingestion device for configured to reproducing-reproduce~~ the electronic file from the portable data storage medium~~data-carrier~~, and a bar code reader for reproducing the original hash value from the bar code associated with the portable data storage medium~~data-carrier~~, the electronic file representing the document being stored in association with the hash value in a data store.

11. (CURRENTLY AMENDED) ~~The A~~-data processing system as claimed in Claim 7, wherein the document is generated from an on-line browser, and wherein the data communications network ~~including~~ includes one of the ~~an~~ intranet and the ~~i~~Internet.

12. (CURRENTLY AMENDED) A document distribution device for distributing a document to a recipient data processing apparatus via a data communications network, the document distribution device comprising

a data processing apparatus ~~operable~~ configured to

~~to~~-process applications software for generating an electronic document,

and

~~to~~-generate an original hash value from the electronic document; and

a communication interface ~~operable~~ configured to provide a facility for communicating-communicate the original hash value to a recipient data processing apparatus before a predetermined event via a data communications network, and, after the predetermined event, ~~for communicating~~ to communicate the electronic document to the recipient data processing apparatus via the data communications network.

13. (CURRENTLY AMENDED) ~~The A~~-document distribution device, as claimed in Claim 12, wherein the data processing apparatus is ~~operable in combination with the communications interface~~ configured to receive from the recipient data processing apparatus, via the communications interface, an original super-hash value generated by the recipient data processing apparatus from a combination of the original hash value communicated by the data processing apparatus and a hash value generated by at least one other document distribution device, and

Appl. No. : Unknown
Filed : Herewith

to receive a comparative super hash value generated by the recipient data processing apparatus from the electronic document received from the document distribution device and at least one other electronic document received from the at least one other document distribution device.

14. (CURRENTLY AMENDED) ~~The A-document distribution device as claimed in Claim 12-~~or~~ 13, wherein the data processing apparatus is operable~~ configured

to encrypt the original hash value using a private key associated with the document distribution device.

15. (CURRENTLY AMENDED) ~~The A-document distribution device as claimed in Claim 14, wherein the data processing apparatus is operable~~ configured

to decrypt the super hash value received from recipient data processing apparatus using a private key associated with the recipient data processing apparatus.

16. (CURRENTLY AMENDED) ~~The A-document distribution device as claimed in any of Claims 12 to 15, wherein the data processing apparatus is operable~~ configured

to encrypt the electronic file containing the document produced by the applications software using the private key associated with the document distribution device prior to being communicated to the recipient data processing apparatus.

17. (CURRENTLY AMENDED) ~~The A-document distribution device as claimed in Claim 16, wherein the communications interface includes a recording device operable~~ configured to record the electronic file on a portable data storage medium ~~data carrier, and a bar code generator operable to represent the original hash value as a bar code, and an arrangement for associating~~ wherein the communications interface is configured to associate the bar code with the portable data storage medium ~~data carrier.~~

18. (CURRENTLY AMENDED) ~~The A-document distribution device as claimed in any of Claims 12 to 17, wherein the applications software provides an on-line web browser, wherein the document being is generated from the on-line browser, and wherein the data communications network including~~ includes at least one of the an intranet and the internet Internet.

19. (CURRENTLY AMENDED) ~~A recipient data processing device for providing a facility for authenticating~~ configured to authenticate documents received from one or more

Appl. No. : Unknown
Filed : Herewith

document distribution devices via a data communications network, the recipient data processing device comprising:

a communications interface ~~operable~~ configured to receive a plurality of original hash values from the document distribution devices via the data communication network before a predetermined event; and

a data processing apparatus ~~including~~ comprising a hashing processor ~~operable~~ configured to generate an original super hash value from the plurality of the received original hash values ~~received~~, ~~to~~ and communicate the original super hash value to each of the document distribution devices, wherein the data processing apparatus is ~~operable~~ configured to operate in combination with the communications interface; to

~~to~~ receive, after the predetermined event, respective electronic files from the document distribution devices, and

~~to~~ generate a comparative hash value from the content of the electronic file containing the document received from each of the distribution devices,

~~to~~ generate, using the hashing processor, a comparative super hash value from each of the comparative hash values,

~~to~~ communicate the comparative super hash value to the document distribution devices, and

~~to~~ determine whether or not the documents received by the recipient data processing apparatus have changed ~~from~~ based a comparison of at least one of the original hash values and the comparative hash values, and the comparative super hash value and the original super hash value.

20. (CURRENTLY AMENDED) The ~~A~~—recipient data processing apparatus as claimed in Claim 19, wherein the data processing apparatus is ~~operable~~ configured to identify a document which has changed by comparing each original hash value with the corresponding comparative hash value, and if the comparative hash value is not the same as the original hash value, ~~determining~~ determine that the corresponding document has changed.

21. (CURRENTLY AMENDED) The ~~A~~—recipient data processing apparatus as claimed in Claim 19 ~~or~~ 20, wherein the original hash values received from the document

Appl. No. : Unknown
Filed : Herewith

distribution devices ~~have been~~ are encrypted using a private key associated with each document distribution device, and wherein the recipient data processing apparatus ~~including~~ comprises an encryption processor ~~operable~~ configured to decrypt the original hash values using a public key associated with the document distribution device.

22. (CURRENTLY AMENDED) The A-recipient data processing apparatus according to claim 21, wherein the encryption processor is ~~operable~~ configured to encrypt the original super hash value and the comparative super hash to be communicated to the document distribution devices in encrypted form.

23. (CURRENTLY AMENDED) The A-recipient data processing apparatus according to ~~any of claims 19 to 22~~, wherein the encryption processor is ~~operable~~ configured to decrypt the electronic file representing the distributed document using a public key associated with the document distribution devices.

24. (CURRENTLY AMENDED) The A-recipient data processing apparatus according to ~~any of Claims 19 to 24~~, comprising ~~an ingestion device~~ a data storage medium reader configured to reproduce for reproducing the electronic file from the portable data storage medium ~~data carrier~~, and a bar code reader for reproducing the original hash value from the bar code associated with the portable data storage medium ~~data carrier~~, the electronic file representing the document being stored in association with the hash value in a data store.

25. (CURRENTLY AMENDED) The A-recipient data processing apparatus as claimed in ~~any of claims 19 to 24~~, wherein the communications interface includes an on-line browser facility for generating the document, and wherein the data communications network ~~including~~ includes one of ~~the~~ an intranet and the ~~i~~Internet.

26. (CURRENTLY AMENDED) A computer-implemented data processing method for distributing documents from a plurality of parties to a recipient data processing apparatus, the method comprising:

- generating, for each of the plurality of parties, an original hash value from the content of an electronic file representing a document to be distributed;
- communicating the original hash value to the recipient data processing apparatus before a predetermined event via a data communications network;

Appl. No. : **Unknown**
Filed : **Herewith**

generating, at the recipient data processing apparatus, an original super hash value from the plurality of the original hash values received;~~and~~

communicating the original super hash to the plurality of document distribution devices;~~and~~, after the predetermined event,

communicating, from the plurality of document distribution devices, each of the respective electronic files to the recipient data processing apparatus;

generating, at the recipient data processing apparatus, a comparative hash value from the content of the electronic file containing the document received from each of the distribution devices;

generating a comparative super hash value from each of the comparative hash values; and

determining whether or not the documents received by the recipient data processing apparatus have changed ~~from~~based on a comparison of at least one of the original hash values and the comparative hash values, and the comparative super hash value and the original super hash value.

27. (CURRENTLY AMENDED) The A-data processing method according to Claim 26, further comprising:

identifying a document which has changed by comparing each original hash value with the corresponding comparative hash value, and if the comparative hash value is not the same as the original hash value,

determining that the corresponding document has changed.

28. (CURRENTLY AMENDED) A method for distributing documents to a recipient data processing device via a data communications network, the method comprising

generating an electronic document;~~and~~

generating an original hash value from the electronic document;~~and~~

communicating the original hash value to a recipient data processing apparatus before a predetermined event via a data communications network, and, after the predetermined event, communicating the electronic document to the recipient data processing apparatus via the data communications network.

Appl. No. : Unknown
Filed : Herewith

29. (CURRENTLY AMENDED) The A-method, as claimed in Claim 27, further comprising:

receiving, from the recipient data processing apparatus, an original super-hash value generated by the recipient data processing apparatus from a combination of the original hash value communicated by the data processing apparatus and a hash value generated by at least one other document distribution device; and

receiving a comparative super hash value generated by the recipient data processing apparatus from the electronic document received from the document distribution apparatus and at least one other electronic document received from the at least one other document distribution device.

30. (CURRENTLY AMENDED) A method of authenticating documents received from a plurality of document distribution devices via a data communications network, the method comprising:

receiving a plurality of original hash values from the document distribution devices, before a predetermined event, via the data communication network;

generating an original super hash value from the plurality of the original hash values received; and

communicating the original super hash value to each of the document distribution devices;

receiving, after the predetermined event, respective electronic files from document distribution devices; and

generating a comparative hash value from the content of the electronic file containing the document received from each of the distribution devices;

generating a comparative super hash value from each of the comparative hash values;

communicating the comparative super hash value to the document distribution devices; and

determining whether or not the documents received by the recipient data processing apparatus have changed ~~from~~ based on a comparison of at least one of the

Appl. No. : Unknown
Filed : Herewith

original hash values, and the comparative hash value and the comparative super hash value and the original super hash value.

31. (CURRENTLY AMENDED) ~~A computer program providing computer executable instructions, which when loaded onto a computer performs the method according to any of claims 26 to 31~~ readable medium having a program for executing a method of distributing documents to a recipient data processing device via a data communications network, the method comprising

generating an electronic document;

generating an original hash value from the electronic document; and

communicating the original hash value to a recipient data processing apparatus before a predetermined event via a data communications network, and, after the predetermined event, communicating the electronic document to the recipient data processing apparatus via the data communications network.-

32. (CURRENTLY AMENDED) ~~A computer program providing computer executable instructions, which when loaded onto a data processing apparatus operates as a document distribution device according to any of claims 12 to 18, or a recipient data processing apparatus according to any of claims 19 to 25~~ readable medium having a program for executing a method of authenticating documents received from a plurality of document distribution devices via a data communications network, the method comprising:

receiving a plurality of original hash values from the document distribution devices, before a predetermined event, via the data communication network;

generating an original super hash value from the plurality of the original hash values received;

communicating the original super hash value to each of the document distribution devices;

receiving, after the predetermined event, respective electronic files from document distribution devices;

generating a comparative hash value from the content of the electronic file containing the document received from each of the distribution devices;

Appl. No. : Unknown
Filed : Herewith

generating a comparative super hash value from each of the comparative hash values;

communicating the comparative super hash value to the document distribution devices; and

determining whether or not the documents received by the recipient data processing apparatus have changed based on a comparison of at least one of the original hash values, and the comparative hash value and the comparative super hash value and the original super hash value..

33. (CANCELED)

34. (CURRENTLY AMENDED) A data processing apparatus for distributing documents from a plurality of parties to a recipient data processing apparatus, the apparatus comprising:

means for generating, for each of the plurality of parties, an original hash value from the content of an electronic file representing a document to be distributed;

means for communicating the original hash value to the recipient data processing apparatus, before a predetermined event, via a data communications network;

means for generating, at the recipient data processing apparatus, an original super hash value from the plurality of the original hash values received; and

means for communicating the original super hash to the plurality of document distribution devices; and

~~after the predetermined event,~~

means for communicating, after the predetermined event, from the plurality of document distribution devices, each of the respective electronic files to the recipient data processing apparatus;

means for generating, after the predetermined event, at the recipient data processing apparatus, a comparative hash value from the content of the electronic file containing the document received from each of the distribution devices;

means for generating, after the predetermined event, a comparative super hash value from each of the comparative hash values; and

Appl. No. : **Unknown**
Filed : **Herewith**

means for determining whether or not the documents received by the recipient data processing apparatus have changed ~~from~~ based on a comparison of at least one of the original hash values and the comparative hash values, and the comparative super hash value and the original super hash value.

35. (CANCELED)

36. (CANCELED)